
Yi2 F 45 of the Discuses of the Urrinary ang ans continued.



we come now to our important It difficult Inly cet & viz: the discourses of The crimary organs. The otis of shall rest attempst to give you a theory organ Them, and afterwards lay he fore you the result of the experience of reading of my life upon the mode of theating themp. as the work frequent consect the Supersepsion of Unive, or of pour do difficulty if discharging it, anisas from The California in the forms of gravel, or floring organs, of gravel, or floring of shall begin with a fire se. : mailso upon their generation. 1 House in the original composition of animal matter there is a partion of that Julistance me call Calumbro. It is the predominance on systemation of This fulstance which Constitutes wis

was ascribed to their scanty ditt. This fact megests an important remedy for Obstinetives of all kinds in bury part of the bold and that is abstinene for - Dering apon famine. The & frompried the the Lymphatics in our physiology to hvine which full upon the filth of our Shorts. The I have said that the Lymphaties burens hrongry in Jamine. - By soon abstonment it is they we be this in Dromies Wir fevers in W. they absorb water of fat By the same means - may they not be let loose upon other matters in the body that are redundant in grantity or of an offensive Grality? I have often seen tumos, Subside l'is appear of Twing a Chronic fever. hun Bubes howethers evanish

called the Calculous Diathesis. 2 This Diathesis prevails throughout nearly every part of animated trathers.

not only the houran Issecies, but horses, cattle theys hops - days - Cats & many any Ather aminals. They suffer life ferm tomo than men when they saist in their bladders from the horizontal posture of y bodies. Jones som aftone y weight was as large as a An Shot, cut out of the bladder of a mare 18 years Old, that was diseased from it but there days before the died, be I have hund of a Stone of \$ 22 4 penny we taken from a horse that was discounted but one eright before his death. 3 Same nations are more affected bratte Calculus than Others, - it is evert common in Baitain - Holland & France. It is a sane. Compstanit in Avifserland - Vapony Japsan & India. Haller.

+morely's fact of a British Officer.

I more than munning water Bruce Jays it is unknown near the will, but very common at a distance from it. where the inhabitants Frish?"

Well water.

abstinent for the unwal of Obstructions, it will be newfound only to abstract nonvishment from the body. The fortone

of the flower blowels & newness hystem

of the flower i bowels & newness hystem

way this kee kipt up by was a little

may this kee kipt up by was a little

while the himsel is by tonig militimes the

consist aliment, I by tonig militimes the

lymphalies are too once to ghellmons

6 Some waters are more disposed to moduce it than Others - Those which dysosit the most south are most disposed to produce it. To this there are two the stand the stand of gettingen the water of flowline the transfer of gettingen the water is very apot to deposit Calcarious makes In on there of those places as a discuse. Hyet Calendors is sarely knowing the my in tenhamon there of the ill effects of it are pro-- bably obviated by the heat of y. Chimate gout by well wester artainly produces it If Calculus gopeans not only in the kidneys, but in thetin & bladden to het in wither visora, especially the hungs - they joints - the homes - the artisies, but the the lather in the blood in the lass in the falina in the frax of the law, in the femen, It were in the discharges by the

TV His a more common disease in early than in middle life, or in old age. Out of about 1600 per partients. that were admitted into the hospital a lunaville, 558 of them were between 6 & 10 years of age. The greatest number mere brit 6 years old big. 147. If It is an hereditistary disease of apristed on Mysich in cutting a young man for thestone Wom Brown - Whose grandfather - grand Unell & Unele had all been afflicted with gravel or Stowe . His father Cataly.

& women are less helyet to calculus in the bludder, them onen from the more cary papage of from the muelin which produce it out of the bladder this their shorter unethra tum back the details and the second of the and the I some Drinks are suid to produce it more Than Others. Malt liquoss have burn blames for this purpose - But De Hallen devies it, and says out of nearly 300 bodies of Burdninkers which he defouted he fourt po make ligning the about the on with an and from the tris in living being more ensity twolved It species first in the kidney of bely body it the back to produce this shis Having this mentioned its prediging

of 1tis. 18: " and V J do not say a Culculus cannot be formed without a meclares . I believe it may, but it is most frequently snowwed boom one, and when formed -

The remote Courses, This Disease, I particles of the blood - much as Lymphy or red particles 2 pus 3 mue uno 4 tremors or costs ancones matters in the aladden 5 and an absorion of the mueus of the bladder. The Those former are the ones frequently. Hog They are excited by violent exercise especially hard siding, & contrasions acommon upon the region of the kidneys. But was finer which affects the kidnings sometimes Inomotes the effusion of the above much - Stenge la standing long by weaking the kidneyo disposes to these effragiones Jonann , I in a wobility who serve the Hings of Spain by standing many hours in his preserve, are often affected by The mucleus con besie of Colombia

fir Isaac; Chair was croded by the herimany of his errine which distilled upon it without his being able to prevent it . It was a very common disease in the My central (a) + Deferthingell a Shinoise montate gland to relaining Usine in the Shoots of London - When he your of had been coming on 6 years. V vanowieters relates the case of a In an who by bying on his back for a for buch in Consequence of brea. - king his thigh, fead anytone formed in his Ridnerys. a period of the greatest as fourtheast of the greatest the first stand of the greatest that the theory of that Courtry. In waving the lives of the 22,000 ejuted ministers in the Rign of Charles the it applicated __


stand thus formed, a stoney matter is deposited upon it either in the kidneys on Bladder. This dysocition is hastned, & made more certain, by the following Croumo tarrelo. I The long returtion of the Univer after the bladder is full. Istrauhlin owed his Stone to this cause. Indges, Clergymen Schoolme a sters Oftendiones mens and forget to discharge if Urine, or who don not ful its from the predominance of mental Shinsulus, are often afflicted with gravel deftone. his paar new ton Il ho Law find with it with also one & stone to this cancer. I rying long on the Back . Thener youty people are so dulyet to the stone. The tendency of govern action to the Ridneys favours the effusion of its muchi, as well as disposes to Valuelons Connection.

- with gravel or Stone indued by their sedantary and studious lives.

the down to the same cause, The former he chiefly on their backs. It approuses in them conder a year old - Inc case is related of its being congenial. 3 The partial, or impurfect discharge of the Univer in a wing postwell- wherely and thus by becoming more accessed, deposits its story matter upour andrew - class if any exist in the bladder. Will my Tiohers case of Virginia. The impressioner The wee houfs of the accelerators Unna, probably be produces the same effect. gravel tone the formed produces diff: ympotomo os itrapognass in the kidneyo, Buters - or Bladder. for the kidneys - pain on One or both

The itching is sometimes indued by discuss of y much of the bladder and even of the Restrement in 1800 as by grand aftone. V Jones will for a lovery lady best frommer who he with this discose who toto me her within has had been afflicted it, & that encli was the ametings of an horsil's in a fit of, that the most exprisite pain was existed only by a presson walking youth, anops the floor of him bed room. + Thatso a Disease that is a Letwinson of the prostate gland formetimes Countrifits the presence of a stone in the bladder. Vois known I by pain in Discharging energies of the absence of bloody thrine. 3 no I pain in riding : 4 mo and gennalbad health. To each of these hims Where are occasional exceptions. as viding from on


Tides of the immbar region - tichness, or the thigh - a Supprefacion - or a mall on the dide of the affected sidning to Colonied, or bloody threed - or of a carge grantity of palle Unit There are Clases however in which it produces no pain; but a constant sichness or Vormitting. In the the Usetise - it produces nearly more the same dynapotomo, but with weight = quisite pain. In the Bladder, it normes a forguent The Stones are Imall they are donnetimes discharged, with great pain, - When large, They bring on Uleans - Johirmo - moBunner - Conver - Douth. +. The pain from gravel offine is premient over all other pain in intensity. The whole 2 Trany experiments have been



Tomade to ascertain the nature of this tome? If shall read to you the usult of DyBlack' inguisies takons upour this Julycet, taken growthing the truther of the Calmbro, has been considered by Some as Similar to gyprocono bodio - Others have compound the to the smother calcanions Inemstations which some envirenal took leave upour vegetables, and Other Godies . Then have supposed the Calculus a Sort of Jantan from line. But it is a Su islance totally different from these. It is not solveble in airds, nor bruter, like Tustas, and as it dipolves in the Constie alkali, it is diffe-= sent from the Calcariono Easth's or gyp: - Inm, neither of which can be difortived in this Substance. It offerwoods with the criticons aried, but it is not attended w. a lofs of weight . It proceeds from an inflaming matter present, and up

It They have been divided I into such as use wingsourd of Unitived & Usate of humowin. These are robuble in a foliation of fraid alhabine fulls. 2 Phrops hute of brake - Do of sumpresia & Do of animorie, These energ he prow by a blow sine diffootnes in Immi: 3 baylate of lime. These are insoluble in alhabis, but liquipy Howly in muriatic wird. I rebelow 4 Phrophets of hime. These are soluble in error: and) / V Dr Black's Out of human Calmbro, pos: : trinduly in not containing any of the Carbonic ain. # se above. Of the printing gravity of warren any Chlunds varies according to Frommy from 1213, to 1976. June the different kinds offered. I this aid. 2 thilliate of ammonia. 3 1the phosphute of line - of magnesia. and America -4 the baylate of live -5 larbonate of live. 6 filex, oxy anatoria minulis. Their OI II. 5? lime 45 parts Carbonic aris 37. Aumal I malter devates 18 parts enaking in all 100. These are evhable in Erruriatis: arid of -.

more dimi las to the effermence of metals with that arid, them its offerveruni ·e with the Calcarions easths, & when det on fire with Close vefse to, it gives rice, ni: on a grantity of on aeria Celastic this; to suspect it will be mostly Journa to be an inflormed be matter; that is - an annual Contraction which Ins the dame principles as all Armal · who tances, any that these are mited in a different mannen. Ine carthis The same as that of the comes, which is different from the Colcanions carth, in not affording a inne, and having ifs Atts action for arid, and little or none for the Carbonic akid! [Do 22 Reele's caperiments Lane discounted me aris to be present in human Calculus, we he cappeous to be its busis. It has y been called the little acid of D' Jacobs confirms



In botating of the line of the aluelus, in I shall first mention the Remedies for The relief of a paroxyom, and 2. The means of claiminating the faluli grown the dystim. Huppinly for the Sufferess by this dis. & - core its borits free consors frains the Shimulus from the Calenders is not so prescrived except when the kidnings or blaken lubour under workid exciteur. Athro is brought on by Coli, fatigue, and all the Other cances which induced Inosbid exitement in Other parts of the body. a filf of the gravel or stone is no lectorings as much to the Unity of disease on appliancely, and is to be treated in A? in the dawne manner. It may be = Obviated When its premounitry

Dia 7 .

Jymps towns are felt by Id. By this annedy a mr Lane of this city had to be ween los applicated for 40 or 50 years with Calmbra in his kidneys. De Haller relates a drivilar instance of the efficacy of coulty of in his Bibliothing I and fitte formed the market with great horandage in against a market is formed the medicine. After the fifth is formed the in this lity in the forming holiophis disease. I sequelated by Remedies are I copy of regulated by a commit - lot market is The pain offende. 3 hypetions these .

Discharged air part offented like a bath This the medium of the Colorer. Helinient purges - particularly lastor Oil. & Liggin Landanson & Whom Bath. & when the sonion to pubis or perincum. This is most useful in discharge of water is Obstracted from the Righten. bladder, it sho bedrawn of by a Catheter. To obviate a return of paroxysms of this discose, the following remedies have buen formed voeful. I artain midicines said to be

of line water for 8 years and was relived by them of the stone. This health was ingroved by the habitual. Else of thise remedies. It is umashable a Calmbro is more tips solvable out of the body in the Urine of a presson who has been using hime water than in com-= mon Urine. V tres a parrayson of the gravel. By thus Obvioting debribity and discuse, the kidneys to bladder after a While lose this funibility to the Stringlus of gravel, and flower, and hence many persons carry Calulus through life in their kidneys & bladder without pain , or any other high of diocese. = jas

a

he

Antibiltie, mehas the Caustie alkeli, the Water inspregnated with Carbonic air gas, the Criticlia aris, Lime water & Soeps - also certain regetable Inalters particularly the Una Uni, and the wild cannot sees tex. These fulritances have been dreppsoned to dipoline the flower in the Univery organo, but many dispettioned Soundings prove this not to be the Case. The experiments of ILemphier prove that the Calculus is but little Changes out of the body by any of the Alborre Substances in a Simple State, and not at all when wis diluted with Unione. The alpatine falt, hime water & foop art by new. - tra bising the aris of the flormach 1 there perhaps prevent the encrease of Calculus. The arids and west Una Usi act as torrices, and There Obvirate the debility which invites to mon - bid excitament, or letrat prin, fickness and fever which constitute V

